

	Type	Hits	Search Text	DBs
1	BRS	16	5,729,419	USPAT; US-PGPUB
2	BRS	13	5,901,022	USPAT; US-PGPUB
3	BRS	1079	esd and clamp	USPAT; US-PGPUB
4	BRS	18	esd and clamp and p adj conductivity	USPAT; US-PGPUB
5	BRS	53	esd and p adj conductivity	USPAT; US-PGPUB
6	BRS	154	esd and p adj2 conductivity	USPAT; US-PGPUB
7	BRS	147	esd and p adj2 conductivity and well	USPAT; US-PGPUB
8	BRS	53	esd and p adj2 conductivity and (isolated isolating)	USPAT; US-PGPUB
9	BRS	24	esd and p adj2 conductivity and (isolated isolating) same well	USPAT; US-PGPUB
10	BRS	510	esd and p adj2 substrate and p adj2 well	USPAT; US-PGPUB
11	BRS	69	esd and p adj2 substrate and p adj2 well same (isolating isolated)	USPAT; US-PGPUB
12	BRS	69	esd and p adj2 substrate and (isolated isolating) same p adj2 well	USPAT; US-PGPUB
13	BRS	44	esd and p adj2 substrate and (isolated isolating) same p adj2 well and NMOS	USPAT; US-PGPUB
14	BRS	6	("5729419"   "5901022"   "5910874"   "5945713"   "6025746"   "6128171").PN.	USPAT
15	BRS	3630	361/56	USPAT; US-PGPUB
16	BRS	13	5,901,022	USPAT; US-PGPUB
17	BRS	1	"5446311".PN.	USPAT
18	BRS	16	5,729,419	USPAT; US-PGPUB
19	BRS	15	("4456939"   "4481521"   "4678950"   "4692834"   "4739438"   "4868705"   "5019883"   "5157571"   "5208719"   "5218222"   "5287241"   "5301081"   "5333093"   "5345356"   "5379175").PN.	USPAT
20	BRS	1	6,594,132	USPAT; US-PGPUB

	Time Stamp	Comments	Error Definition	Errors
1	2004/02/16 11:00			0
2	2004/02/11 11:50			0
3	2004/02/12 11:24			0
4	2004/02/11 11:51			0
5	2004/02/11 11:51			0
6	2004/02/11 11:52			0
7	2004/02/12 14:07			0
8	2004/02/11 11:52			0
9	2004/02/11 14:13			0
10	2004/02/11 14:14			0
11	2004/02/11 14:15			0
12	2004/02/11 14:15			0
13	2004/02/11 16:10			0
14	2004/02/11 15:47			0
15	2004/02/11 16:10			0
16	2004/02/12 11:34			0
17	2004/02/12 11:34			0
18	2004/02/12 11:52			0
19	2004/02/12 11:35			0
20	2004/02/12 11:54			0

	Type	Hits	Search Text	DBs
21	BRS	21	5,959,820	USPAT; US-PGPUB
22	BRS	21	6,015,992	USPAT; US-PGPUB
23	BRS	41	5,287,241	USPAT; US-PGPUB
24	BRS	9	esd and p adj2 conductivity and well and 3.3 adj (V volt volts)	USPAT; US-PGPUB
25	BRS	34	esd and 3.3 adj (V volt volts) same clamp	USPAT; US-PGPUB
26	BRS	2	esd and p adj2 conductivity and well and 3.3 adj (V volt volts) same clamp	USPAT; US-PGPUB
27	BRS	55	4,782,250	USPAT; US-PGPUB
28	BRS	2973	361/111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	7	6,184,557	USPAT; US-PGPUB
30	BRS	7	5,841,723	USPAT; US-PGPUB
31	BRS	41	5,287,241	USPAT; US-PGPUB
32	BRS	14	5,917,220	USPAT; US-PGPUB
33	BRS	10	5,477,413	USPAT; US-PGPUB
34	BRS	658	361/91.1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	787	257/357	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
21	2004/02/12 11:55			0
22	2004/02/12 12:23			0
23	2004/02/12 12:23			0
24	2004/02/12 14:08			0
25	2004/02/12 15:37			0
26	2004/02/12 14:08			0
27	2004/02/12 15:37			0
28	2004/02/12 16:41			0
29	2004/02/13 10:54			0
30	2004/02/13 11:23			0
31	2004/02/13 12:05			0
32	2004/02/13 14:57			0
33	2004/02/13 14:57			0
34	2004/02/13 15:42			0
35	2004/02/16 11:01			0